INVITATION TO BID	ART OF	BIDS WI	LL BE PUBLICLY	OPENED:			
STATE OF LOUISIANA		NOV	16, 2015	02:00 PM			
LA DEPT OF PUBLIC SAFETY & CORRECT HQ-PURCHASING		PURCHAS	SING AGENCY NO. :	400PUR			
====> VENDOR NO. : SOLICITATION : 2204068							
FILE NO. : OPENING DATE : 11/16/15		SEE NO.	8 BELOW. RET	ΓURN BID TO 02:00 PM			
VENDOR NAME AND ADDRESS		2204068	11/16/15	UZ.UU FIVI			
====>		P.O. BOX 504 MAYE	CHASING SING/CORRECTIONS 94304 -LOWER STREET OUGE, LA 70804-930				
	_	BUYER BUYER PHO DATE ISSUI REQ. AGEN	ONE : (22 ED : 11/ NCY : 402				
FILL IN VENDOR NUMBER (FEIN), NAI ADDRESS ABOVE, BEFORE SUBMITT		AGENCY RE ISIS REQ. N VENDOR PH FISCAL YEA CLASS/SUE SCHEDULE	IO. : 128 HONE : AR : 06 BCLASS : 803 ED BEGIN DATE : 00/ ED END DATE : 00/	2-R83154 83169 345			
MIXER/AMPLIFIER & LOUDSPEAKERS: RODEO -915 WH- LSP							
TO BE CON  1. PLEASE REMOVE FROM THIS COMMODITY CODE.  2. DELIVERY WILL BE MADE IN THIS NUMBER OF DAYS AFTER REC!  3. % CASH DISCOUNT FOR PROMPT PAYMENT IF MADE WITHIN THIS LESS THAN 30 DAYS OR LESS THAN 1% WILL BE ACCEPTED, BUT DETERMINING AWARDS. ON INDEFINITE QUANTITY TERM CONTR BUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS.  4. BID BOND ATTACHED, CERTIFIED CHECK ATTACKS.  5. BID REFERENCE NUMBER. (THIS NUMBER WILL APPEAR ON RES	RTY (30) DAYS.  F WILL NOT BE  RACTS, CASH D  SHED,	R.  CASH DISCOUNTS FOR CONSIDERED IN ISCOUNTS WILL BE ACCEPTI OTHER, IF REQUIRED.	ED AND TAKEN				
	IONS TO BIDDE						
<ol> <li>READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECIFICATIONS.</li> <li>ALL BID PRICES MUST BE TYPED OR WRITTEN IN INK. ANY CORRECTIONS, ERASURES OR OTHER FORMS OF ALTERATION TO UNIT PRICES SHOULD BE INITIALED BY THE BIDDER.</li> <li>THIS BID IS TO BE MANUALLY SIGNED IN INK.</li> <li>BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. DESTINATION OR AS OTHERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" OR "C.O.D" REQUIREMENTS MAY BE REJECTED. PAYMENT IS TO BE MADE WITHIN 30 DAYS AFTER RECEIPT OF PROPERLY EXECUTED INVOICE OR DELIVERY, WHICHEVER IS LATER.</li> </ol>							
AMOUNT OF BID BOND REQUIRED:	c						
8. TO ASSURE CONSIDERATION OF YOUR BID, ALL BIDS AND ADDENDA SHO THE BID OPENING DATE AND THE BID NUMBER, OR SUBMITTED IN THE SI  9. BIDS SUBMITTED ARE SUBJECT TO PROVISIONS OF THE LAWS OF THE S' PURCHASING RULES AND REGULATIONS; EXECUTIVE ORDERS; STANDAI	PECIAL ENVEL	OPE IF FURNISHED FOR THA SIANA INCLUDING BUT NOT L	T PURPOSE. LIMITED TO L.R.S. 39:1551-1	1736;			
IN THIS SOLICITATION.  10. IMPORTANT: BY SIGNING THE BID, THE BIDDER CERTIFIES COMPLIANCE SPECIFICATIONS, AND FURTHER CERTIFIES THAT THIS BID IS MADE WITH BY A PERSON AUTHORIZED TO BIND THE VENDOR (SEE NO.30). ALL BID	HOUT COLLUSI	ON OR FRAUD. THIS BID IS T	TO BE MANUALLY SIGNED	IN INK			
VENDOR PHONE NUMBER: T FAX NUMBER:	TITLE		DATE				
SIGNATURE OF AUTHORIZED BIDDER - SEE NO. 30, PAGE 3 (MUST BE SIGNED)		NAME OF BIDDER (TYPED OR PRINTED)					

STANDARD TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2204068 OPEN DATE: 11/16/15 T-NUMBER : 02:00 PM	BIDDER:	PAGE 2

11 ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.

12. CONFERENCE:

NA

NΔ

NA

13. BID FORMS.

ALL WRITTEN BIDS. UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED, PROPERLY SIGNED (SEE NO. 30). BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED:

- A. BID CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND:
- B. BID FILLED OUT IN PENCIL: AND
- C. BID NOT SUBMITTED ON THE STATE'S STANDARD FORMS.

BIDS MUST BE RECEIVED AT THE ADDRESS SPECIFIED IN THE SOLICITATION PRIOR TO BID OPENING TIME IN ORDER TO BE CONSIDERED. TELEGRAPHIC AND FAX ALTERATIONS TO BIDS RECEIVED BEFORE BID OPENING TIME WILL BE CONSIDERED PROVIDED FORMAL BID AND WRITTEN ALTERATION HAVE BEEN RECEIVED AND TIME-STAMPED BEFORE BID OPENING TIME. ENTIRE BID SHOULD BE RETURNED, EXCEPT ITEM PAGES NOT

#### 14. STANDARDS OF QUALITY.

ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFOMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.

## 15. DESCRIPTIVE INFORMATION.

BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR STATE OF LOUISIANA TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER MUST STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.

# 16. BID OPENING.

BIDDERS MAY ATTEND THE BID OPENING, BUT NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN AT THE BID OPENING OR DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED WITHIN 72 HOURS AFTER BID OPENING. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE STATE OF LOUISIANA DURING NORMAL WORKING HOURS. WRITTEN BID TABULATIONS WILL NOT BE FURNISHED.

# 17. AWARDS.

THE STATE OF LOUISIANA RESERVES THE RIGHT TO AWARD ITEMS SEPARATELY, GROUPED OR ON AN ALL-OR-NONE BASIS AND TO REJECT ANY OR ALL BIDS AND WAIVE ANY INFORMALITIES.

LINESS OTHERWISE SPECIFIED BY THE STATE OF LOUISIANA IN THE SQLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID BY BIDDER TO DESTINATION AND FIRM FOR ACCEPTANCE FOR A MINIMUM OF 30 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.

# 19. DELIVERIES.

BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION.

# 20. TAXES.

VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. STATE AGENCIES ARE EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.

STANDARD TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2204068  OPEN DATE: 11/16/15  T-NUMBER : 02:00 PM	BIDDER:	PAGE 3

#### 21. NEW PRODUCTS.

UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

#### 22. CONTRACT RENEWALS.

UPON AGREEMENT OF THE STATE OF LOUISIANA AGENCY AND THE CONTRACTOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.

#### 23. CONTRACT CANCELLATION.

THE STATE OF LOUISIANA HAS THE RIGHT TO CANCEL ANY CONTRACT, IN ACCORDANCE WITH PURCHASING RULES AND REGULATIONS, FOR CAUSE, INCLUDING BUT NOT LIMITED TO, THE FOLLOWING: (1) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT; (2) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION; (3) MISREPRESENTATION BY THE CONTRACTOR; (4) FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE STATE; (5) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW; (6) ANY OTHER BREACH OF CONTRACT.

## 24. DEFAULT OF CONTRACTOR.

FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT.
WHERE THE STATE HAS DETERMINED THE CONTRACTOR TO BE IN DEFAULT, THE STATE RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS
OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT
PRICE. UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.

### 25. ORDER OF PRIORITY.

IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL CONDITIONS, THE SPECIAL CONDITIONS SHALL GOVERN.

### 26. APPLICABLE LAW.

ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.

# 27. COMPLIANCE WITH CIVIL RIGHTS LAWS.

BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION WITHOUT REGARD TO RACE, COLOR, RELIGION, SEXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.

# 28. SPECIAL ACCOMMODATION.

ANY "QUALIFIED INDIVIDUAL WITH A DISABILITY" AS DEFINED BY THE AMERICANS WITH DISABILITIES ACT WHO HAS SUBMITTED A BID AND DESIRES TO ATTEND THE BID OPENING, MUST NOTIFY THIS OFFICE IN WRITING NOT LATER THAN SEVEN DAYS PRIOR TO THE BID OPENING DATE OF THEIR NEED FOR SPECIAL ACCOMMODATIONS. IF THE REQUEST CANNOT BE REASONABLY PROVIDED, THE INDIVIDUAL WILL BE INFORMED PRIOR TO THE BID OPENING.

# 29. INDEMNITY.

CONTRACTOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE STATE, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR PROPERTY DAMAGES CAUSED BY THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE CONTRACTOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE STATE, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.

# 30. SIGNATURE AUTHORITY.

IN ACCORDANCE WITH L.R.S. 39:1594 (ACT 121), THE PERSON SIGNING THE BID MUST BE:

- 1. A CURRENT CORPORATE OFFICER, PARTNERSHIP MEMBER OR OTHER INDIVIDUAL SPECIFICALLY AUTHORIZED TO SUBMIT A BID AS REFLECTED IN THE APPROPRIATE RECORDS ON FILE WITH THE SECRETARY OF STATE; OR
- 2. AN INDIVIDUAL AUTHORIZED TO BIND THE VENDOR AS REFLECTED BY A CORPORATE RESOLUTION, CERTIFICATE OR AFFIDAVIT; OR
- 3. OTHER DOCUMENTS INDICATING AUTHORITY WHICH ARE ACCEPTABLE TO THE PUBLIC ENTITY.

		_
SPECIAL	FERMS & CONDITIONS	INVITATION TO BID
NUMBER : 220 OPEN DATE: 11/ T-NUMBER :	04068 16/15 TIME: 02:00 PM	BIDDER:
1	A PREFERENCE MAY BE ALL GROWN, OR ASSEMBLED IN . DO YOU CLAIM THIS PREFE.	
		LOUISIANA WHERE THIS PRODUCT IS MANUFACTURED, MBLED:
	DO YOU HAVE A LOUISIANA IF SO, DO YOU CERTIFY TO	S REQUIRED, INCLUDE ON SEPARATE SHEET.)  BUSINESS WORKFORCE? YES NO  HAT AT LEAST FIFTY PERCENT (50%) OF YOUR FORCE IS COMPRISED OF LOUISIANA RESIDENTS?
		E INFORMATION MAY CAUSE ELIMINATION FROM ES SHALL NOT APPLY TO SERVICE CONTRACTS.
2	SERVICES, RESERVES THE STATEWIDE DELIVERY AT TO A PERIOD OF ONE (1) YEAR	T OF PUBLIC SAFETY AND CORRECTIONS, CORRECTIONS RIGHT TO REPURCHASE THE ABOVE ITEM(S) FOR HE SAME PRICE, TERMS AND CONDITIONS SHOWN FOR R FROM THE DATE OF THE ORIGINAL PURCHASE ORDER.
	ACCEPTANCE OF ABOVE REPORTED INITIALS:	URCHASE OPTION IS INDICATED BY VENDOR'S
3	THIS PURCHASE ORDER OR THE DEPARTMENT OF PUBLIC TO CANCEL THE ITEM AND	MAKE DELIVERY WITHIN THE TIME SPECIFIED ON IF THE DELIVERY IS LATE OR UNSATISFACTORY, C SAFETY AND CORRECTIONS RESERVES THE RIGHT TO PURCHASE IT ELSEWHERE, CHARGING ANY E VENDOR MAKING THE ORIGINAL DELIVERY.
4	BIDDERS WILL BE NOTIFIE	ACCORDANCE WITH L.A.C. 34: I.535, UNSUCCESSFUL D OF THE AWARD PROVIDED THAT THEY SUBMIT A ENVELOPE REQUESTING THIS INFORMATION.

PAGE 4

PRICE S	HEET	INVITATI	ON TO B	SID		
	: 2204068 : 11/16/15	BIDDER:				PAGE 5
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED	TOTAL
	UNLESS SPECIFIED ELSEWHERE SHIP TO: LOUISIANA STATE PENITENTIARY LSP - 915 WAREHOUSE GENERAL DELIVERY ANGOLA , LA 70712  TO AVOID DELAYS IN PAYMENT, THE ORIGINAL INVOICE MUST BE MAILED TO THE "BILL TO" ADDRESS ABOVE.					
00001	COMMODITY CODE: 803-45-000000  MIXER/AMPLIFIER: NINE (9) CHANNEL  FEATURES: *SIX (6) MIC/LINE INPUTS *TWO (2) AUXILLIARY INPUTS *MODULE SLOT *TRANSFORMER-ISOLATION FOR TELEPHONE PAGING APPLICATIONS *25 V, 70.7 V AND 4 PHM SPEAKER OUTPUTS *AUTO-MUTE PRIORITY FUNCTION *AUTO-MUTE SENSE CONTROL *EXTERNA; MUTE TERMINALS *INDIVIDUAL CHANNEL AND MASTER VOLUME CONTROLS *BASS/TREBLE TONE CONTROLS *OUTPUT LEVEL METER AND POWER INDICATOR *REMOTE MASTER VOLUME *AUXILIARY OUTPUT *PRE-AMP. OUT/POWER AMP. IN INSERT JACKS *REMOTE AC TURN-ON *TURN-ON DELAY *OVER-CURRENT AND THERMAL PROTECTION CIRCUITRY *DETACHABLE IEC-TYPE AC POWER CORD	1	EACH			
	*VOLUME CONTROL SECURITY KNOBS INCLUDED (4) *UL/CUL LISTED *FIVE YEAR WARRANTY  OUTPUT POWER: -240 W RMS  FREQUENCY RESPONSE: -50 - 20K HZ (+/-3 DB)  TOTAL HARMONIC DISTORTION: -0.5% AT 1K HZ, RATED OUTPUT					

PRICE S	HEET	INVITATION	ON TO BI	D		
IUMBER	: 2204068 : 11/16/15 TIME: 02:00 PM	BIDDER:				PAGE 6
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDE	TOTAL
	INPUTS: -INPUT 1 - 6: MIC -70 TO -50 DBV, 600 OHM/LINE -10 DBV, 600 OHM INPUT 1: TRANSFORMER-BALANCED, PHOENIX 3P TERMINAL INPUT 2-6: ELECTRONICALLY-BALANCED, PHOENIX 3P TERMINAL -INPUT 7 - 8: LINE -20 DBV, 10K OHM, UNBALANCED RCA PIN JACK (STEREO-SUM) -MODULE: SPECIFICATIONS DEPENDENT ON MODULE TYPE -POWER IN: 0 DBV, 10K OHM, UNBALANCED, RCA PIN JACK  OUTPUTS: -SPEAKER OUT: 70.7 V LINE, 25 V LINE, AND 4 - 16 OHM, PHOENIX 4P TERMINAL -MINIMUMI IMPEDANCE: 70.7 V LINE: 21 OHM 25 V LINE: 2.6 OHM -PREAMP OUT: 0 DBV, 600 OHM, UNBALANCED, RCA PIN JACK -REC OUT: 0 DBV, 600 OHM, UNBALANCED, RCA PIN JACK OUTPUT REGULATION: -LESS THAN 2 DB, NO LOAD TO FULL LOAD PHANTOM POWER: -23VDC, SWITCHABLE, INPUTS 1 - 6  MODULE SLOT: -USE OF MUTE-TYPE MODULES IS NOT REQUIRED  DYNAMIC RANGE: -INPUT 1 - 6: >70 DB -INPUT 7 - 8, MODULE: > 80 DB (BAND PASS: 20 HZ - 20K HZ, WITH TONE CONTROLS CENTERED)  TONE CONTROL: -BASS: +/-10 DB AT 100 HZ -TREBLE: +/-10 DB AT 10K HZ  CONTROL INPUT: -REMOTE VOLUME: 10K OHM LINEAR-TAPER POTENTIOMETER, PHOENIX TERMINAL -POWER REMOTE: NO-VOLTAGE MAKE CONTACT					

	HEET	INVITATION TO BID					
	: 2204068 : 11/16/15 TIME: 02:00 PM :	BIDDER:				PAGE 7	
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED	TOTAL	
	INPUT OPEN VOLTAGE: 28 VDC (WHEN UNIT POWER IS OFF) SHORT-CIRCUIT: UNDER 10 MA, PHOENIX TERMINAL -MUTE CONTROL: NO-VOLTAGE MAKE CONTACT INPUT OPEN VOLTAGE: 28 VDC (WHEN UNIT POWER IS OFF) SHORT-CIRCUIT: UNDER 10 MA, PHOENIX TERMINAL  INDICATOR: -5-POINT LED OUTPUT LEVEL METER, POWER INDICATOR LED POWER SOURCE: -120 VAC, 60 HZ POWER CONSUMPTION: -215 W (BASED ON UL/CSA STANDARD)  OPERATING TEMPERATURE: -14 DEGREE F TO 104 DEGREE F (-10 DEGREE C TO + 40 DEGREE C) FINISH: -PANEL: ABS RESIN, BLACK, HAIR LINE -CASE: STEEL PLATE, BLACK  DIMENSIONS (W X H X D): 16.8" X 4.3" X 14.68" (420 X 107.7 X 367 MM)  WEIGHT: 29.84 LBS (13.5 KG)  ACCESSORIES (INCLUDED): -4 X VOLUME CONTROL SECURITY KNOBS  TOA 700 SERIES MODEL A-724 OR EQUAL (MIXER/AMPLIFIER)  YA-920 OR EQUAL (VOLUME CONTROL SECURITY KNOBS: TO FIT THE TOA 700 SERIES MODEL A-724 MIXER/ AMPLIFIER)  MUST BE COMPATIBLE WITH LINE ITEM #2  SPECIFY BRAND (& NUMBER IF APPLICABLE)						

: 2204068 : 11/16/15 TIME: 02:00 PM :	BIDDER:				PAGE 8
COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDE	TOTAL
COMMODITY CODE: 803-80-000000	20	EACH			
TWO-WAY IN-CEILING LOUDSPEAKER: 6.5"  FEATURES: *INTEGRATED STEEL BACK CAN AND 60-WATT MULTI-TAP TRANSFORMER *70-VOLT, 100-WATT, OR 16-OHM OPERATION SELECTABLE VIA FRONT BAFFLE SWITCH *SWIVELING TRACTRIX HORN TWEETER FOR CLEAR SOUND IN ANY LOCATION *RUGGED CAST-POLYMER WOOFER FRAME *SUPPLIED WIT HSTANDARD CONDUIT FITTINGS AND TILE BRIDGE					
BANDWIDTH: 85HZ-20KHZ +/- 4DB					
POWER HANDLING: 85 WATTS (34.5V)					
MAX CONTINUOUS OUTPUT: 106DB					
SENSITIVITY 2.83 V/1M: 84.5DB					
SENSITIVITY 1W/1M: 91DB					
TRANSFORMER TAPS: -70V: 60W, 30W, 15W, 7.5W -100V: 60W, 30W, 15W -THROUGH POSITION: 16 OHMS					
DISPERSION ANGLE: 90 DEGREE CONICAL					
DI: 8DB					
Q: 6.3					
NOMINAL IMPEDANCE: 16 OHMS, 12 OHMS MINIMUM @ 20HZ					
INPUT CONNECTOR:					
	COMMODITY CODE: 803-80-000000  TWO-WAY IN-CEILING LOUDSPEAKER: 6.5"  FEATURES: *INTEGRATED STEEL BACK CAN AND 60-WATT MULTI-TAP TRANSFORMER *70-VOLT, 100-WATT, OR 16-OHM OPERATION SELECTABLE VIA FRONT BAFFLE SWITCH *SWIVELING TRACTRIX HORN TWEETER FOR CLEAR SOUND IN ANY LOCATION *RUGGED CAST-POLYMER WOOFER FRAME *SUPPLIED WIT HSTANDARD CONDUIT FITTINGS AND TILE BRIDGE  BANDWIDTH: 85HZ-20KHZ +/- 4DB  POWER HANDLING: 85 WATTS (34.5V)  MAX CONTINUOUS OUTPUT: 106DB  SENSITIVITY 2.83 V/1M: 84.5DB  SENSITIVITY 1W/1M: 91DB  TRANSFORMER TAPS: -70V: 60W, 30W, 15W, 7.5W -100V: 60W, 30W, 15W, 7.5W -110V: 60W, 30W, 15W -THROUGH POSITION: 16 OHMS  DISPERSION ANGLE: 90 DEGREE CONICAL  DI: 8DB  Q: 6.3  NOMINAL IMPEDANCE: 16 OHMS, 12 OHMS MINIMUM @ 20HZ	COMMODITY/SERVICE DESCRIPTION  QUANTITY FROM/TO  COMMODITY CODE: 803-80-000000  TWO-WAY IN-CEILING LOUDSPEAKER: 6.5"  FEATURES: *INTEGRATED STEEL BACK CAN AND 60-WATT MULTI-TAP TRANSFORMER *70-VOLT, 100-WATT, OR 16-OHM OPERATION SELECTABLE VIA FRONT BAFFLE SWITCH *SWIVELING TRACTRIX HORN TWEETER FOR CLEAR SOUND IN ANY LOCATION *RUGGED CAST-POLYMER WOOFER FRAME *SUPPLIED WIT HISTANDARD CONDUIT FITTINGS AND TILE BRIDGE  BANDWIDTH: 85HZ-20KHZ +/- 4DB  POWER HANDLING: 85 WATTS (34.5V)  MAX CONTINUOUS OUTPUT: 106DB  SENSITIVITY 2.83 V/1M: 84.5DB  SENSITIVITY 1W/1M: 91DB  TRANSFORMER TAPS: -70V: 60W, 30W, 15W, 7.5W -100V: 60W, 30W, 15W, 7.5W -1THROUGH POSITION: 16 OHMS  DISPERSION ANGLE: 90 DEGREE CONICAL  DI: 8DB  Q: 6.3  NOMINAL IMPEDANCE: 16 OHMS, 12 OHMS MINIMUM @ 20HZ	COMMODITY/SERVICE DESCRIPTION  COMMODITY CODE: 803-80-000000  COMMODITY CODE: 803-80-000000  COMMODITY CODE: 803-80-000000  COMMODITY CODE: 803-80-000000  TWO-WAY IN-CEILING LOUDSPEAKER: 6.5"  FEATURES:  "INTEGRATED STEEL BACK CAN AND 60-WATT MULTI-TAP TRANSFORMER  "70-VOLT, 100-WATT, OR 16-OHM OPERATION SELECTABLE VIA FRONT BAFFLE SWITCH "SWIVELING TRACTRIX HORN TWEETER FOR CLEAR SOUND IN ANY LOCATION "RUGGED CAST-POLYMER WOOFER FRAME "SUPPLIED WIT HSTANDARD CONDUIT FITTINGS AND TILE BRIDGE  BANDWIDTH: 85HZ-20KHZ +/- 4DB  POWER HANDLING: 85 WATTS (34.5V)  MAX CONTINUOUS OUTPUT: 106DB  SENSITIVITY 2.83 V/1M: 84.5DB  SENSITIVITY 1W/1M: 91DB  TRANSFORMER TAPS: -70Y: 60W, 30W, 15W, 7.5W -100Y: 60W, 30W, 15W, 7.5W -100Y: 60W, 30W, 15W -THROUGH POSITION: 16 OHMS  DISPERSION ANGLE: 90 DEGREE CONICAL  DI: 8DB  Q: 6.3  NOMINAL IMPEDANCE: 16 OHMS, 12 OHMS, 12 OHMS, 12 OHMS, 12 OHMS MINIMUM @ 20HZ	COMMODITY.SERVICE DESCRIPTION  OUANTITY FROMTO  COMMODITY CODE: 803-80-000000  COMMODITY CODE: 803-80-0000000  COMMODITY CODE: 803-80-0000000  TWO-WAY IN-CEILING LOUDSPEAKER: 6.5"  FEATURES:  "INTEGRATED STEEL BACK CAN AND 60-WATT MULTI-TAP TRANSFORMER  "70-VOLT, 100-WATT, OR 16-01M OPERATION SELECTABLE VIA FRONT BAFFLE SWITCH  "SWIVELING TRACTRIX HORN TWEETER FOR CLEAR SOUND IN ANY LOCATION  "RUGGED CAST-POLYMER WOOFER FRAME  "SUPPLIED WIT HSTANDARD CONDUIT FITTINGS AND TILE BRIDGE  BANDWIDTH:  BANDWIDTH:  SHYPLIED WIT HSTANDARD CONDUIT FITTINGS  AND TILE BRIDGE  BANDWIDTH:  SENSITIVITY 2.83 V/1M:  84.5DB  SENSITIVITY 1W/1M:  91DB  TRANSFORMER TAPS:  -70V: 60W, 30W, 15W, 7.5W  -100V: 60W, 30W, 15W, 7.5W  -110V: 60W, 30W, 15W  -THROUGH POSITION: 16 OHMS  DISPERSION ANGLE:  90 DEGREE CONICAL  DI:  BDB  Q:  6.3  NOMINAL IMPEDANCE:  16 OHMS, 12 OHMS MINIMUM @ 20HZ	COMMODITY/SERVICE DESCRIPTION  OUANITY UNIT UNIT UNIT PRICE  EXTENDED  COMMODITY CODE: 803-80-000000  TWO-WAY IN-CEILING LOUDSPEAKER: 6.5"  FEATURES: "INTEGRATED STEEL BACK CAN AND 60-WATT MULTI-TAP TRANSFORMER "INTEGRATED STEEL BACK CAN AND 60-WATT MULTI-TAP TRANSFORMER "INTEGRATION SELECTABLE WIA FRONT BAFFLE SWITCH SWIVELING TRACTRIX HORN TWEETER FOR CLEAR SOUND IN ANY LOCATION SELECTABLE WIA FRONT BAFFLE SWITCH SWIVELING TRACTRIX HORN TWEETER FOR CLEAR SOUND IN ANY LOCATION THE RIDGE BANDWIDTH: SHADD THE BRIDGE  BANDWIDTH: SHADLING: SSWATTS (34.5V)  MAX CONTINUOUS OUTPUT: 106DB  SENSITIVITY 2.83 V/1M: 94.5DB  SENSITIVITY 1W/1M: 91DB  TRANSFORMER TAPS: -70V: 60W, 30W, 15W, 75W -1100V: 60W, 30W, 15W -1100V: 60W, 30W -1100V: 60W, 30W -1100V: 60W, 30W -1100V: 60W -1100

PRICE S	HEET	INVITATIO	INVITATION TO BID					
	: 2204068 : 11/16/15 TIME: 02:00 PM :	BIDDER:				PAGE 9		
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED	TOTAL		
LINE			UNIT	UNIT PRICE	EXTENDED	DTOTAL		